

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/077,988 02/19/2002 Patrick R. Connelly BTI-1 5092 37211 7590 06/13/2005 **EXAMINER BASCH & NICKERSON LLP** GETZOW, SCOTT M 1777 PENFIELD ROAD ART UNIT PAPER NUMBER PENFIELD, NY 14526 3762

DATE MAILED: 06/13/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		ϵ
	Application No.	Applicant(s)
Office Action Summary	10/077,988	CONNELLY ET AL.
	Examiner	Art Unit
The MAILING DATE of this communication and	Scott M. Getzow	3762
The MAILING DATE of this communication app Period for Reply	lears on the cover sheet with th	e correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be within the statutory minimum of thirty (30) will apply and will expire SIX (6) MONTHS fr cause the application to become ABANDO	e timely filed days will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).
Status		
1) Responsive to communication(s) filed on 15 Ap	<u>oril 2005</u> .	
2a) ☐ This action is FINAL . 2b) ☑ This	action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.		
Disposition of Claims		
4) ☐ Claim(s) See Continuation Sheet is/are pendin 4a) Of the above claim(s) is/are withdraw 5) ☐ Claim(s) See Continuation Sheet is/are allowed 6) ☐ Claim(s) 81 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	epted or b) objected to by th drawing(s) be held in abeyance. S ion is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priori	s have been received. s have been received in Applic rity documents have been rece u (PCT Rule 17.2(a)).	ation No ived in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) ☐ Interview Summa Paper No(s)/Mail 5) ☐ Notice of Informa 6) ☐ Other:	
·	٠, <u> </u>	

Continuation of Disposition of Claims: Claims pending in the application are 12-25,30-34,38-56,65-86,88-91,97-111,115-120,124-138,142-145,150-185,187-253 and 255-266.

Continuation of Disposition of Claims: Claims allowed are 12-25,30-34,38-56,65-80,82-86,88-91,97-111,115-120,124-138,142-145,150-185,187-253 and 255-266.

Application/Control Number: 10/077,988

Claim Rejections - 35 USC § 103

1. Claim 81 is rejected under 35 U.S.C. 103(a) as being unpatentable over Tsitlik et al (5217010) in view of Wagshul et al (6501978).

Tsitlik teaches a shielded cardiac assist system including a control circuit and a plurality of electrical leads. Wagshul teaches the ability to detect the phase timing of MRI signals, and to alter operation of an appliance to avoid interference from the signals, see column 2, lines 24-67, and column 3 lines 30-45. It would have been obvious to have the ability to alter operations in high noise environments, as shown by Wagshul, with the device of Tsitlik since it would further protect the patient in case the shielding was insufficient.

2. Claim 81 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brownlee et al (4091818) in view of Tsitlik.

Brownlee teaches the ability to alter operation in high noise environments, see abstract. It would have been obvious to add the shielding 68 of Tsitlik to the housing of Brownlee in order to add a further protective layer in case a high noise environment compromises other operational modes of the implanted device.

Since new art has been applied, this action is not made final.

Allowable Subject Matter

3. Claims 12-25,30-34,38-56,65-80,82-86,88-91,97-111,115-120,124-138,142-145,150-185,187-253,255-266 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott M. Getzow whose telephone number is (571) 272-4946. The examiner can normally be reached on M-F, 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Angela Sykes can be reached on (571) 272-4955.

The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Scott M. Getzow Primary Examiner Art Unit 3762

SMG